

COMBINED REFERENCES

- Abrams, C.E., and McConnell, K.I., 1981, Stratigraphy of the area around the Austell-Frolona antiform, west-central Georgia, in Wigley, P.B., ed., Latest thinking on the stratigraphy of selected areas in Georgia; Volume 1: Georgia Geological Survey Information Circular, no. 54-A, p. 55-67.
- Adams, G. I., 1926, The crystalline rocks, *in* Adams, G. I., Butts, C., Stephenson, L. W., and Cooke, C. W., eds., *Geology of Alabama: Alabama Geological Survey Special Report 14*, p. 25-40.
- Allison, D.T., 1992, Structural evolution and metamorphic petrogenesis of a metasediment and metagneous complex, Coosa County, Alabama, (Ph.D. dissertation): Tallahassee, Florida, Florida State University, 378 p.
- Alsop, G.I. and Holdsworth, R.E., Sheath folds as discriminators of bulk strain type, *Journal of Structural Geology*, Volume 28, Issue 9, September 2006, Pages 1588-1606.
- Barineau, C. I, Holm-Denoma, C. S., and Tull, J. F., 2012, Growing evidence for the presence of Laurentian margin Ordovician back-arc basin(s) in the southern Appalachians: *Geological Society of America Abstracts with Programs*, v. 44, No. 4, p. 64.
- Barineau, C.I., 2009, Superposed fault systems of the southernmost Appalachian Talladega belt: implications for Paleozoic orogenesis in the southern Appalachians [Ph.D. dissertation]: Tallahassee, Florida, Florida State University, 136 p.
- Bearce, D.N., 1973, *Geology of the Talladega Metamorphic Belt in Cleburne and Calhoun counties, Alabama*; Symposium; *Geology of the Blue Ridge Ashland-Wedowee belt in the Piedmont: American Journal of Science*, v. 273, p. 742-754.
- Bearce, D.N., 1985, Early Cambrian nappes bordering Talladega belt in eastern Alabama, in Tull, J.F., Bearce, D.N., and Guthrie, G.M., eds., *Early evolution of the Appalachian Miogeocline: upper Precambrian-lower Paleozoic Stratigraphy of the Talladega Slate Belt: Alabama Geological Society 22nd Annual Field Trip Guidebook*, p. 37-49.
- Bearce, D.N., 1991, Nappes of Lower Cambrian strata in eastern Alabama: Talladega slate belt-foreland boundary redefined: *American Journal of Science*, v. 291, p. 711-735, doi:10.2475/ajs.291.7.711.
- Bieler, D. B., and Deininger, R. W., 1987, Geologic setting of the Koweliga Augen Gneiss and the Zana Granite, northwestern Alabama piedmont: in Drummond, M.S., and Green, N.L., eds., *Granites of Alabama: Geological Survey of Alabama*, p. 57-72.
- Bieler, D. B., 1993, Correlation of Emuckfaw Group metagraywackes with the Wedowee Group, Southern Piedmont, Alabama: implications for the interpretation of the Alexander City fault, *Geological Society of America Abstracts with Programs*, v. 25, No. 4, p. 3-4.
- Bream, B.R., 2003, Tectonic implications of para- and ortho gneiss geochronology and geochemistry from the Southern Appalachian crystalline core [Ph.D. thesis]: Knoxville, University of Tennessee, 310 p.
- Butts, C., 1926, The Paleozoic rocks, *in* Adams, G.I., et al., eds., *Geology of Alabama: Alabama Geological Survey Special Report*, v. 14, p. 40-223.
- Butts, C., 1940, Description of the Montevallo and Columbiana Quadrangles: *U.S. Geological Survey Atlas*, Folio 226, p. 0-19.
- Carter, W.W., 1985, *Geology of Cedar and Talladega Mountains, Clay County, Alabama* [M.S. Thesis]: Tuscaloosa, Alabama, University of Alabama, 132 p.
- Carrington, T. J., 1973, Metamorphosed Paleozoic sedimentary rocks in Chilton, Shelby, and Talladega Counties, Alabama, in Carrington, T.J., ed., *Talladega metamorphic front: Alabama Geological Society, 11th Annual Field Trip Guidebook*, p. 22-38.
- Chew, David M., 2003, An Excel spreadsheet for finite strain analysis using the Rf/ Φ technique: *Computers & Geosciences* 29, p. 795-799.
- Crawford, T. F., and Medlin, J. H., 1974, Brevard fault zone in western Georgia and Eastern Alabama: *Georgia Geological Survey Guidebook 12*, p. 1-67.
- Crawford, T.J., and Cressler, C.W., 1982, Relationship between Talladega belt rocks and Ocoee Supergroup rocks near Cartersville, Georgia, in Bearce, D.N., Black, W.W., Kish, S., and Tull, J.F., eds., *Tectonic studies in the Talladega and Carolina slate belts, southern Appalachian orogen: Geological Society of America Special Paper 191*, p. 31-34.
- Crickmay, G.W., 1936, Status of the Talladega series in southern Appalachian stratigraphy: *Geological Society of America Bulletin*, v. 47, p. 1371-1392.
- Das, Reshmi, 2006, *Geochemical and geochronological investigations in the southern Appalachians, southern Rocky Mountains and Deccan Traps* [Ph.D. thesis]: Florida State University, p. 1-159.
- Davis, T.L., 1993, *Geology of the Columbus Promontory, western Piedmont, North Carolina, southern Appalachians*, *in* Hatcher, R.D., Jr., and Davis, T.L., eds., *Studies of Inner Piedmont geology with a focus on the Columbus Promontory: Carolina Geological Society annual field trip guidebook*, p. 17-43.

- Drummond, M.S., 1986, Igneous, metamorphic, and structural history of the Alabama Tin Belt, Coosa County, Alabama, (Ph.D. dissertation): Tallahassee, Florida, Florida State University, 411 p.
- Drummond, M.S., Wesolowski, D.J., and Allison, D.T., 1988, Generation, diversification, and emplacement of the Rockford Granite, Alabama Appalachians; mineralogic, petrologic, isotopic (C&O), and P-T constraints: *Journal of Petrology*, v. 29, p. 869-897.
- Drummond, M.S., Allison, D.T., and Wesolowski, D.J., 1994, Igneous petrogenesis and tectonic setting of the Elkahatchee Quartz Diorite, Alabama Appalachians; implications for Penobscotian magmatism in the eastern Blue Ridge: *American Journal of Science*, v. 294, p. 173-236.
- Drummond, M.S., Neilson, M.J., Allison, D.T., and Tull, J.F., 1997, Igneous petrogenesis and tectonic setting of granitic rocks from the eastern Blue Ridge and Inner Piedmont, Alabama Appalachians; The nature of magmatism in the Appalachian Orogen: *Geological Society of America Memoir* 191, p. 147-164.
- German, J. M., 1985, The geology of the northeastern portion of the Dahlongega gold belt: *Georgia Geological Survey Bulletin* 100, 41 p.
- German, J.M., 1989, Geologic setting and genesis of gold deposits of the Dahlongega and Carroll County gold belts, Georgia: *Economic Geology and the Bulletin of the Society of Economic Geologists*, v. 84, p. 903-923.
- Gilmer, Jess J. and Barineau, Clinton I., 2012, Correlation of Ashland-Wedowee-Emuckfaw Belt and Dahlongega Gold Belt Stratigraphy, Northwestern Georgia-Northeastern Alabama, Southern Appalachians. *Geological Society of America Abstracts with Programs*, Vol. 44, No. 4, p. 22.
- Gillon, K. A., 1982, Stratigraphic, structural and metamorphic geology of portions of the Cowrock and Helen, Georgia quadrangles, [M.S. thesis] University of Georgia, Athens, 236 p.
- Grimes, J.E., Steltenpohl, M.G., Cook, R.B., Jr, and Keefer, W.D., 1993, New geological studies of the most southern part of the Brevard zone, Alabama, and their implications for southern Appalachian tectonostratigraphy. *Southeastern Section Geological Society of America Field Trip Guidebook*, p. 95-116.
- Guthrie, G. M., 1989, Geology and marble resources of the Sylacauga marble district: *Geological Survey of Alabama Bulletin*, 131, 81 p.
- Guthrie, G.M., 1994, Geology of the Columbiana area, Chilton, Coosa, and Shelby Counties, Alabama: *Geological Survey of Alabama Bulletin* 151, 80 p.
- Guthrie, G. M., 1995, Alleghanian timing constraints on Laurentian margin orogenesis: New fossils and radiometric data from the Alabama Blue Ridge: *in* Guthrie, G. M. ed., The timing and tectonic mechanisms of the Alleghanian orogeny, Alabama Piedmont: Alabama Geological Society Guidebook, 32nd Annual Field Trip, p. 1-16.
- Guthrie, G. M., and Dean, L., 1989, Geology of the New Site 7.5-Minute quadrangle, Tallapoosa and Clay Counties, Alabama: *Geological Survey of Alabama Quadrangle Series Map* 9, 41 p.
- Hatcher, R. D., 1969, Stratigraphy, petrology, and structure of the low rank belt and part of the Blue Ridge of northwesternmost South Carolina: *in* Griffin, V. S., and Hatcher, R. D., Jr., A guide to the geology of northwestern South Carolina; *Field Trip Guidebook* 9: South Carolina Division of Geology, *Geologic Notes*, Carolina Geological Society Annual Field Trip, October 3-5, 1969, v. 13, no. 4, p. 105-147.
- Hatcher, R.D., Jr., 1978, Tectonics of the western Piedmont and Blue Ridge: review and Speculation: *American Journal of Science* 278, 276-304.
- Hatcher, R.D., Jr., 2008, Nature of the Talladega Front in the Sylacauga area, Alabama: *Guidebook for the 45th Annual Field Trip of the Alabama Geological Society*, p. 30-42.
- Hatcher, R. D., Jr., 2010, The Appalachian orogen: a brief summary: *in* Tollo, R.P., Bartholomew, M.J., Hibbard, J.P., and Karabinos, P.M., eds., *From Rodinia to Pangea: Geological Society of America Memoir* 206, p. 1-19. doi: 10.1130/2010.1206(36)
- Hatcher, R. D., Jr., Merschat, A.J., and Thigpen, J. R., 2005, Blue Ridge primer, *in* Hatcher, R. D., Jr., and Merschat, A. J., 2005, Blue Ridge geology geotraverse east of the Great Smoky Mountains National Park, western North Carolina: *Carolina Geological Society Annual Field Trip Guide*, p. 1-24.
- Hatcher, R.D., Jr., Bream, B.R., and Merschat, A.J., 2007, Tectonic map of the southern and central Appalachians: A tale of three orogens and a complete Wilson Cycle: *Geological Society of America Memoir* 200, p. 595-632.
- Heuler, G.F., 1993, Geology of the Talladega Belt of Haralson County, Georgia and its boundary with the Northern Piedmont [M.S. thesis]: Tallahassee, Florida, Florida State University, 168 p.
- Higgins, M.W., Arth, J.G., Wooden, J.L., Crawford, T.J., Stern, T.W., and Crawford, R.F., 1997, Age and origin of the Austell Gneiss, western Georgia Piedmont-Blue Ridge, and its bearing on the ages of orogenic events in the Southern Appalachians; The nature of magmatism in the Appalachian Orogen:

- Geological Society of America Memoir 191, p. 181-192.
- Higgins, M.W., and Crawford, R.F., 2008, Alternative interpretations of the age, contact relationships, and stratigraphic framework of the Talladega slate belt, southwesternmost Appalachians, Central Alabama and Georgia: Guidebook for the 45th Annual Field Trip of the Alabama Geological Society, p. 3–29.
- Higgins, M. W., Crawford, R. F., and Steltenpohl, M. G., 2011, The dog river window—a major feature of the Blue Ridge in western Georgia and the piedmont in Alabama: Geological Society of America Abstracts with Programs, v. 43, No. 2, p 15.
- Hippertt, J. and Tohver, E., Interaction of flexural shear, S–C fabrics, and oblique shear during folding of micaceous quartzite, *Journal of Structural Geology*, Volume 24, Issues 6–7, June–July 2002, Pages 1087-1099.
- Holm-Denoma, C. S., 2006, Characterization of Paleozoic Terranes and Terrane accretion at the Southeastern Margin of Laurentia: Georgia and Alabama Appalachians [Ph.D. thesis]: Florida State University, Tallahassee, FL, United States 135 p.
- Holm-Denoma, C. S., 2007, Importance and characterization of the westernmost accretionary terrane (Pumpkinvine Creek Formation and associated units) in the Georgia Blue Ridge: in Tull, J. F., ed., *Tectonics of the Georgia Blue Ridge: basement/cover rift architecture, important aspects of overlying drift and clastic wedge facies, and the westernmost accretionary terrane*, Georgia Geological Society Guidebooks, v. 27, p. 157-170.
- Holm-Denoma, C. S., and Das, Reshmi, 2010, Bimodal volcanism as evidence for Paleozoic extensional accretionary tectonism in the southern Appalachians: *Geological Society of America Bulletin* 2010;122;1220-1234 doi: 10.1130/B30051.1
- Hurst, V., J., 1973, Geology of the southern Blue Ridge belt: *American Journal of Science*, v. 273, p. 643-670.
- Hurst, V.J., and Jones, L.M., 1973, Origin of amphibolites in the Cartersville-Villa Rica area, Georgia: *Geological Society of America Bulletin*, v. 84, p. 905–911.
- Hutchinson, R. W., 1980, Massive base metal sulfide deposits as guides to tectonic evolution: *Geological Association of Canada Special Paper* 20, p. 659-684.
- Ingle, J. C., Jr., 1992, Subsidence of the Japan Sea: stratigraphic evidence from ODP sites and onshore sections, in Tamaki, K., Suyehiro, K., Allan, J., McWilliams, M., et al., *Proceedings of the Ocean Drilling Program, Scientific Results*, Vol. 127/128.
- Ingram, Stanton III, Schwartz, Joshua J., and Johnson, Kenneth, 2011, U-PB Zircon and Monazite Geochronology and Hafnium Isotopic Geochemistry of Neoacadian and Early Alleghanian Plutonic Rocks in the Alabama Eastern Blue Ridge, Southern Appalachian Mountains: *Geological Society of America Abstracts with Programs*, Vol. 43, No. 5, p. 88.
- Irvine, T.N., and Barrager, W.R.A., 1971, A guide to the chemical classification of the common volcanic rocks: *Canadian Journal of Earth Sciences*, v. 8, p. 523-548.
- Johnson, L. W., Tull, J. F., 2002, Sylacauga Marble Group: distal fragment of the southern Appalachian Cambrian-Ordovician carbonate platform: *Southeastern Geology*, V. 41, no. 2, p. 75-102.
- Kalbas, J.L., Bream, B.R., Hatcher, R.D., Jr., and Maybin, A.H., III, 2002, Evidence for mafic Ordovician magmatism and Acadian metamorphism in the Brushy Mountains, western Inner Piedmont, of North Carolina: *Geological Society of America Abstracts with Programs*, v. 34, p. 119.
- Keefer, W. D., 1992, Geology of the Brevard zone in the closure of the Tallahassee synform, Elmore and Tallapoosa Counties, Alabama, [M.S. thesis] Auburn University, Auburn Alabama, 219 p.
- Le Maitre and the IUGS Working Group, 1989, A classification of igneous rocks and glossary of terms: Blackwell, Oxford.
- Lister, G.S., and Snoke, A.W., S-C Mylonites, *Journal of Structural Geology*, Volume 6, Issue 6, 1984, Pages 617-638
- Ludwig, K.R., 2012, Isoplot 3.75: A geochronological toolkit for Microsoft Excel: Berkeley Geochronology Center Special Publication no. 5.
- McCalley, H., 1897, Report on the valley regions of Alabama, Part II, the Coosa Valley Region: *Alabama Geological Survey Special Report* 9, 826 p.
- McClellan, E.A., Steltenpohl, M.G., Thomas, C., Miller, C.F., and Hanley, T.B., 2005, Isotopic age constraints and metamorphic history of the Talladega Belt; new evidence for timing of arc magmatism and terrane emplacement along the southern Laurentian margin; New perspectives on southernmost Appalachian terranes, Alabama and Georgia: Guidebook for the Annual Field Trip of the Alabama Geological Society, v. 42, p. 19–50.
- McClellan, E.A., Steltenpohl, M.G., Thomas, C., and Miller, C.F., 2007, Isotopic age constraints and metamorphic history of the Talladega Belt; new evidence for timing of arc magmatism and terrane emplacement along the southern Laurentian margin: *Journal of*

- Geology, v. 115, p. 541-561, doi: 10.1086/519777.
- McConnell, K.I., 1980, Origin and correlation of the Pumpkinvine Creek Formation: A new unit in the Piedmont of northern Georgia: Georgia Geologic Survey Information Circular 51, 19 p.
- McConnell, K.I., and Costello, J.O., 1982, Relationship between Talladega belt rocks and Ocoee Supergroup rocks near Cartersville, Georgia, *in* Bearce, D.N., Black, W.W., Kish, S.A., and Tull, J.F., eds., Tectonic Studies in the Talladega and Carolina Slate Belts Southern Appalachian orogen: Geological Society of America Special Paper 191, p. 19–30.
- McConnell, K.I., and Abrams, C.E., 1984, Geology of the greater Atlanta region (USA): Georgia Geological Survey Bulletin 96, 127 p.
- Muangnoicharoen, N., 1975, The geology and structure of a portion of the northern piedmont, east central Alabama, [M.S. thesis] University of Alabama, Tuscaloosa, Alabama, 72 p.
- Merschat, A.J., Hatcher, R.D., Bream, B.R., Miller, C.F., Byars, H.E., Gatewood, M.P., and Wooden, J.L., 2010, Detrital zircon geochronology and provenance of southern Appalachian Blue Ridge and Inner Piedmont crystalline terranes: Geological Society of America Memoir 206, p. 661-699, doi: 10.1130/2010.1206(26).
- Moore, W.B., Tull, J.F., and Allison, D.T., 1987, Intrusive chronology, progressive deformation and geochemistry of granitic dikes, and strain analysis of xenoliths, northern piedmont, Tallapoosa County, Alabama, *in* Drummond, M.S., and Green, N.L., eds., Granites of Alabama: Geological Survey of Alabama, p. 17-31.
- Muangnoicharoen, N., 1975, The geology and structure of a portion of the northern Piedmont, east-central Alabama [MS thesis]: University of Alabama, Tuscaloosa, AL, United States, 74 p.
- Mulchrone, Kieran F., Meere, Patrick A., and Choudhury, Kingshuk Roy, SAPE: a program for semi-automatic parameter extraction for strain analysis, *Journal of Structural Geology*, Volume 27, Issue 11, November 2005, Pages 2084-2098.
- Neathery, T.L., 1973, Observations on the lithologic relationships within the Talladega Group, Alabama, *in* Carrington, T.J., ed., Talladega metamorphic front: Alabama Geological Society, 11th Annual Field Trip Guidebook, p. 51–55.
- Neathery, T.L., and Reynolds, J.W., 1973, Stratigraphy and metamorphism of the Wedowee Group, a reconnaissance: *American Journal of Science*, v. 273, p. 723–741, doi:10.2475/ajs.273.8.723.
- Neathery, T.L., 1975, Rock unit in the high-rank belt of the northern Alabama Piedmont; *in* Neathery, T.L. and Tull, J.F., eds., *Geologic Profiles of the Northern Alabama Piedmont*: Alabama Geol. Soc. Guidebook 13th Ann. Field Trip, p. 9-47.
- Neilson, M. J., and Stow, S. H., 1986, Geology and geochemistry of the mafic and ultramafic intrusive rocks, Dadeville belt, Alabama: *Geological Society of America Bulletin*, v. 97, p. 296-304.
- Ohmoto, H., and Skinner, B. J. (Eds.), 1983. *The Kuroko and Related Volcanogenic Massive Sulfide Deposits*. Econ. Geol. Monogr., 5.
- Osborne, W.E., Szabo, M.W., Neathery, T.L., and Copeland, C.W., Jr., compilers, 1988, Geologic map of Alabama, northeast sheet: Alabama Geological Survey Special Map 220, scale 1:250,000.
- Pearce, J.A., and Norry, M.J., 1979, Petrogenetic implications of Ti, Zr, Y, and Nb variations in volcanic rocks: *Contributions to Mineralogy and Petrology*, v. 69, p. 33-47.
- Prouty, W.F., 1916, Preliminary report on the crystalline and other marbles of Alabama: *Geological Survey of Alabama Bulletin* 18, 49 p.
- Russell, G.S., 1978, U-Pb, Rb-Sr, and K-Ar isotopic studies bearing on the tectonic development of the southernmost Appalachian Orogen, Alabama [Ph.D. thesis]: Florida State University, Tallahassee, FL, United States, 197 p.
- Russell, G.S., Odom, A.L., and Russell, C.W., 1987, Uranium-lead and rubidium-strontium isotopic evidence for the age and origin of granitic rocks in the northern Alabama Piedmont, *in* Drummond, M.S. and Green, N.L., eds., *Granites of Alabama: Geological Survey of Alabama*, p. 239-249.
- Schwartz, J. J, Johnson, Kenneth, and Ingram, Stanton III, 2011, U-Pb zircon geochronology of Neocadian and early Alleghenian plutonic rocks in the Alabama eastern Blue Ridge, southern Appalachian mountains: *Geological Society of America Abstracts with Programs*, Vol. 43, No. 1, p. 62.
- Seal, T.L., and Kish, S.A., 1990, The geology of the Dadeville Complex of the western Georgia and eastern Alabama Inner Piedmont: Initial petrographic, geochemical, and geochronological results. Southeastern Section Geological Society of America Field Trip Guidebook, p. 65-77.
- Sears, J. W., Cook, R. B., Jr., and Brown, D. E., 1981, Tectonic evolution of the Pine Mountain Window and adjacent Inner Piedmont province, *in* Sean, J. W., ed., *Contrasts in tectonic style between the Inner Piedmont terrane and the Pine Mountain Window*: Alabama Geological Society Guidebook 18, p. 1-13.

- Settles, D.J., 2002, Defining the Hayesville-Soque River and Allatoona faults and an Ordovician arc assemblage within the central Blue Ridge northwest of Dahlonega, Georgia [Ph.D. thesis]: University of Tennessee at Knoxville, Knoxville, TN, United States, 161 p.
- Shaw, C.E., 1970, Age and stratigraphic significance of the Talladega Slate: evidence of pre-Middle Ordovician tectonism in central Alabama: *Southeastern Geology*, v. 11, p. 253-267.
- Shervais, J.W., 1982, Ti-V plots and the petrogenesis of modern and ophiolitic lavas: *Earth and Planetary Science Letters*, v. 59, p. 101-118.
- Spell, T.L., and Norrell, G.T., 1990, The Ropes Creek assemblage; petrology, geochemistry, and tectonic setting of an ophiolitic thrust sheet in the Southern Appalachians: *American Journal of Science*, v. 290, p. 811-842.
- Steltenpohl, M. G., Heatherington, A., Mueller, P. M., and Miller, R. V., 2005, New isotopic dates on crystalline rocks from Alabama and Georgia; in Steltenpohl, M. G., Southern Appalachian terranes, Alabama and Georgia: Field Trip Guidebook for the Geological Society of America Southeastern Section 2005 Annual Meeting p. 51-69.
- Steltenpohl, M. G., Higgins, M. W., and Crawford, R. F., The dog river window, Alabama and Georgia: a first-order structure in the southern Appalachian orogen: *Geological Society of America Abstracts with Programs*, Vol. 43, No. 2, p. 15.
- Sterling, W.J., 2006, Geology of the Southernmost Exposure of the Brevard Zone in the Red Hill Quadrangle, Alabama.[MS thesis]: Auburn University, Auburn, Alabama, United States of America, 118 p.
- Stow, S.H., and Tull, J.F., 1982, Geology and Geochemistry of the Strata-bound Sulfide Deposits of the Pyriton District, Alabama: *Economic Geology*, v. 77, p. 328-340.
- Stow, S.H., Neilson, M.J., and Neathery, T.L., 1984, Petrography, geochemistry, and tectonic significance of the amphibolites of the Alabama Piedmont; Mafic and ultramafic rocks of the Appalachian Orogen: *American Journal of Science*, v. 284, p. 414-436.
- Sun, S.S., and McDonough, W.F., 1989, Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes, in Saunders, A.D., and Norry, M.J. (eds.), *Magmatism in Ocean Basins*: Geological Society of London Special Publication 42, p. 313-345.
- Thomas, C.W., 2001, Origins of mafic-ultramafic complexes of the eastern Blue Ridge province, southern Appalachians: Geochronological and geochemical constraints [Ph.D. thesis]: Nashville, TN, Vanderbilt University, 154 p.
- Thomas, W.A., Tull, J.F., Bearce, D.N., Russell, G., and Odom, A.L., 1980, Geologic Synthesis of the Southernmost Appalachians, Alabama and Georgia; in Wones, D.R., ed., *The Caledonides in the U.S.A.*: Va. Polytechnic Institute, Department of Geological Sciences, Memoir 2, p. 91-97.
- Thomas, W. A., and Bayona, G., 2005, The Appalachian thrust belt in Alabama and Georgia: thrust belt structure, basement structure, and palinspastic reconstruction: Alabama Geological Survey Monograph 16, 48 p.
- Tull, J.F., 1975, Structural and Metamorphic Aspects of the Northern Alabama Piedmont; in Neathery, T.L. and Tull, J.F., eds., *Geologic Profiles of the Northern Alabama Piedmont*: Alabama Geological Society Guidebook, 13th Annual Field Trip, p. 63-86.
- Tull, J.F., 1978, Structural development of the Alabama Piedmont northwest of the Brevard Zone: *American Journal of Science*, v. 278, p. 442-460.
- Tull, J.F., 1979, Overview of the Sequence and Timing of Deformational Events in the Southern Appalachians: Evidence from the Crystalline Rocks, North Carolina to Alabama: IGCP project Caledonide Orogen, Abstracts with Programs, p. A10.
- Tull, J.F., 1982, Stratigraphic Framework of the Talladega Slate Belt, Alabama Appalachians, in Bearce, D.N., Black, W.W., Kish, S., and Tull, J.F., eds., *Tectonic Studies in the Talladega and Carolina Slate Belts, Southern Appalachian Orogen*: Geological Society of America Special Paper 191, p. 3-18.
- Tull, J. F., 1985, Stratigraphy of the Sylacauga Marble Group: in Tull, J. F., Bearce, D. N., and Guthrie, G.M., eds., *Early evolution of the Appalachian miogeocline: upper Precambrian - lower Paleozoic stratigraphy of the Talladega slate belt*: Alabama Geological Society Guidebook 22nd Annual Field Trip, p. 21-26.
- Tull, J.F., 1987, Structural setting of granitic plutonism in the northern piedmont Alabama Appalachians, in Drummond, M.S., and Green, N.L., eds., *Granites of Alabama*: Geological Survey of Alabama, p. 17-31.
- Tull, J. F., 2002, Southeast margin of the middle Paleozoic shelf, southwesternmost Appalachians: regional stability bracketed by Acadian and Alleghanian tectonism: *Geological Society of America Bulletin*, v. 114, no. 6, p. 643-655.
- Tull, J. F., 2011, Significance of late extensional faults in the southwestern Appalachian eastern Blue Ridge: *Geological Society of America Abstracts with Programs*, v. 43, no. 2, p. 15.
- Tull, J.F., and Stow, S.H., 1980, The Hillabee Greenstone: A mafic volcanic complex in the Appalachian Piedmont of Alabama: *Geological Society of America Bulletin*, v. 91, Part I, p. 27-36, doi: 10.1130/0016-7606
- Tull, J.F., and Stow, S.H., 1982, Geologic Setting of the Hillabee Metavolcanic Complex and

- Associated Strata-bound Sulfide Deposits in the Appalachian Piedmont of Alabama: *Economic Geology*, v. 77, p. 318-327.
- Tull, J.F., Harris, A.G., Repetzki, J.E., McKinney, F.K., Garrett, C.B., and Bearce, D.N., 1988, New paleontologic evidence constraining the age and paleotectonic setting of the Talladega slate belt, southern Appalachians: *Geological Society of America Bulletin*, v. 100, no. 8, p. 1291-1299.
- Tull, J.F., and Telle, W.R., 1989, Tectonic setting of olistostromal units and associated rocks in the Talladega slate belt, Alabama Appalachians, in Horton, J.W., and Rast, N., eds., *Mélanges and olistostromes of the Appalachians*: Geological Society of America Special Paper 228, p. 247–269.
- Tull, J.F., and Groszos, M.S., 1990, Nested Paleozoic successor basins in the southern Appalachian Blue Ridge: *Geology*, V. 18, No. 11, p. 1046-1049.
- Tull, J.F., Ragland, P.C., and Durham, R.B., 1998, Geologic, geochemical, and tectonic setting of felsic metavolcanic rocks along the Alabama recess, southern Appalachian Blue Ridge: *Southeastern Geology*, v. 38, p. 39–64.
- Tull, J.F., and Holm, C.S., 2005, Structural evolution of a major Appalachian salient-recess junction; consequences of oblique collisional convergence across a continental margin transform fault: *Geological Society of America Bulletin*, v. 117, p. 482-499, doi: 10.1130/B25578.1.
- Tull, J.F., Barineau, C.I., Mueller, P.A., and Wooden, J.L., 2007, Volcanic arc emplacement onto the southernmost Appalachian Laurentian Shelf; characteristics and constraints: *Geological Society of America Bulletin*, v. 119, p. 261-274, doi: 10.1130/B25998.1.
- Tull, J.F., Mueller, P.A., Barineau, C.I., and Wooden, J.L., 2009, Age and tectonic implications of the Elkahatchee quartz diorite, eastern Blue Ridge Province, Southern Appalachians, USA: *Geological Society of America Abstracts with Programs*, v. 41, p. 288.
- Tull, J.F., Allison, D.T., and Whiting, S.E., John, 2010, Southern Appalachian outer Laurentian margin initial drift-facies (Chilhowee Group- equivalent) sequences: implications for margin evolution, *in* Tollo, R.P., Bartholomew, M.J., Hibbard, J.P., and Karabinos, P.M., eds., *From Rodinia to Pangea*: Geological Society of America Memoir 206, p. 935–956. doi: 10.1130/2010.1206(36).
- Tull, J.F., and Barineau, C.I., 2012, Overview of the stratigraphic and structural evolution of the Talladega slate belt, Alabama Appalachians, *in* Eppes, M.C., and Bartholomew, M.J., eds., *From the Blue Ridge to the Coastal Plain: Field Excursions in the Southeastern United States*: Geological Society of America Field Guide 29, p. 263–302, doi:10.1130/2012.0029(08).
- Tullis, Jan, Snoke, Arthur W., and Todd, Victoria R., 1982, Penrose Conference report; Significance and petrogenesis of mylonitic rocks. *Geology (Boulder)*, 10(5):227-230
- Whittington, D., 1982, Geology of the Stone Hill massive sulfide copper mine, Cleburne and Randolph counties, Alabama [MS thesis]: University of Alabama, Tuscaloosa, Alabama, 143 p.
- Wielchowsky, C.C., 1983, The geology of the Brevard zone and adjacent terranes in Alabama [Ph.D. dissert.]: Rice University, Houston, Texas, 237 p.
- Williams, Harold, and Hatcher, R. D., Jr., 1982, Suspect terranes and accretionary history of the Appalachian orogen *Geology*, v. 10, p. 530-536.
- Wilson, G. V., and Zietz, Isidore, 2002, Aeromagnetic map of Alabama, State Oil and Gas Board of Alabama, Oil and Gas Special Map 8B.
- Woodall, J., and Barineau, C.I., 2010, Strain Analysis of the Basal Contact of the Lay Dam Formation, Talladega Belt, Alabama: *Abstracts with Programs - Geological Society of America*, v. 42, no. 1, p. 93.
- Yanagihara, G.M., 1994, Structure, stratigraphy, and metamorphism of a part of the Columbus Promontory, western Inner Piedmont, North Carolina [M.S. Thesis]: Knoxville, Tennessee, University of Tennessee, 214 p.